

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO33144 Receipt Dates from 8/10/2016 to 8/10/2016

Total Received Quantity:	81.00000
Total Qty to Inspect (PO U/M):	0.00000
Total Reject Quantity:	0.00000
Total Receipt Value:	\$307.59
Total Balance Due Quantity:	0.00000

BORDEREAU D'EXPÉDITION

SABIC POLYMERSHAPES

Expéditeur à:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A 1K7

CANADA

téléphone - 1 (613)

6325200

Facturer à:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A 1K7

Canada

DATE:

08-AUG-16

COMMANDE:

93024118

MODALITÉS DE

PAIEMENT:

CA NET 30

F.A.B.

ENTREPÔT: MONTREAL QC - SABIC POLYMERSHAPES
1665 - 55th Avenue, Dorval, QC, H9P 2W3, CA,

BON DE COMMANDE:

PO33144

MODALITÉS DE

TRANSPORT:

Collect Freight

REPRÉSENTANT:

DIXON, WADE

TÉL. DE LA PERSONNE-RESSOURCE:

0014005000120

DATE DE LA

COMMANDE:

22-JUL-16

NOM POUR LIVRAISON:

31849132

N° DE CONNAISSANCEMENT

JOURNEY TYRSP

TRANSPORTEUR DE MARCHANDISES:

CUSTOM CARTAGE

COMMENTAIRE SUR FRAIS DE TRANSPORT:

CATÉGORIE NUMÉRO DE PIÈCE / DESCRIPTION DE L'ARTICLE

1 65096104

ACT RD 0.500 BK CP | ACETRON GP

INSTRUCTIONS SPÉCIALES: C OF C REQUIRED

Numéros de LOT:

(16 Qté)

DATE

D'EXPÉDITION

QTÉ

COMMANDÉE

QTÉ

EXPÉDIÉE

QTÉ NON

EXPÉDIÉE

UDM

FT

0

16

16

08-AUG-2016

2

65152104

ACT RD 0.750 BK CP | ACETRON GP

INSTRUCTIONS SPÉCIALES: C OF C REQUIRED

Numéros de LOT:

(32 Qté)

08-AUG-2016

32

0

FT

5816-8-11

BORDEREAU D'EXPÉDITION

SABIC POLYMERSHAPES

Expéditeur à:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A 1K7

CANADA

téléphone - 1 (613)

6325200

Facturer à:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A 1K7

Canada

DATE:

08-AUG-16

COMMANDE:

93024118

MODALITÉS DE

PAIEMENT:

CA NET 30

F.A.B.

ENTREPÔT: MONTREAL QC - SABIC POLYMERSHAPES
1665 - 55th Avenue, Dorval, QC, H9P 2W3, CA,

BON DE COMMANDE:

PO33144

MODALITÉS DE

TRANSPORT:

Collect Freight

REPRÉSENTANT:

DIXON, WADE

TÉL. DE LA PERSONNE-RESSOURCE:

0014005000120

DATE DE LA

COMMANDE:

22-JUL-16

NOM POUR LIVRAISON:

31849132

N° DE CONNAISSANCEMENT

JOURNEY TRSP

TRANSPORTEUR DE MARCHANDISES:

CUSTOM CARTAGE

COMMENTAIRE SUR FRAIS DE TRANSPORT:

CATÉGORIE NUMÉRO DE PIÈCE / DESCRIPTION DE L'ARTICLE

3 65200104

ACT RD 1.000 BK CP | ACETRON GP

INSTRUCTIONS SPÉCIALES: C OF C REQUIRED

Numéros de LOT:

(16 Qté)

DATE

D'EXPÉDITION

QTÉ

COMMANDÉE

QTÉ

EXPÉDIÉE

QTÉ NON

EXPÉDIÉE

UDM

08-AUG-2016

16

0

FT

4

65366104

ACT RD 2.000 BK CP | ACETRON GP

INSTRUCTIONS SPÉCIALES: C OF C REQUIRED

Numéros de LOT:

(16 Qté)

08-AUG-2016

16

0

FT

80168-11

REÇU EN BON ÉTAT**Signé:****Date:**

À moins qu'il en soit convenu autrement dans un document signé par es deux parties, toute vente par SABIC Polymershapes ("Polymershapes") est effectuée exclusivement aux termes des conditions de vente standard de Polymershapes, qui peuvent être obtenues sur demande et en ligne à l'adresse www.sabicpolymershapes.com. BIEN QUE LES RENSEIGNEMENTS, LES RECOMMANDATIONS OU LES CONSEILS FIGURANT AUX PRÉSENTES SOIENT DONNÉS DE BONNE FOI, POLYMERSHAPES NE DONNE AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, QUANT AUX RESULTATS, A L'EFFICACITE OU A LA SECURITE DE TOUTE CONCEPTION CONTENANT DES PRODUITS, MATERIAUX, SERVICES, RECOMMANDATIONS OU CONSEILS DE POLYMERSHAPES. SAUF TEL QU'IL EST INDIQUÉ DANS LES CONDITIONS DE VENTE STANDAR DE POLYMERSHAPES, POLYMERSHAPES ET SES REPRESENTANTS NE SONT EN AUCUN CAS RESPONSABLES DE TOUTE PERTE DECOULANT DE L'UTILISATION DE SES MATERIAUX, PRODUITS OU SERVICES DÉCRITS AUX PRÉSENTES

Chaque utilisateur assume l'entière responsabilité de ses décisions quant au caractère convenable des produits, des matériaux, des services, des recommandations ou des conseils pour sa propre utilisation. Chaque utilisateur doit identifier et effectuer tous les tests et analyses nécessaires pour s'assurer que ses pièces finies contenant des produits, matériaux ou services achetés de SABIC Polymershapes seront sûres et pourront être utilisés dans des conditions d'utilisation finales.Aucune disposition du présent document ou de tout autre document, ni aucune recommandation ou aucun conseil verbal, ne sera réputé modifier, faire varier, remplacer ou annuler toute disposition des conditions de vente de Polymershapes ou de la présente exclusion de responsabilité, à moins que cette modification ne soit précisément acceptée dans un écrit signé par Polymershapes.Aucun énoncé figurant aux présentes relativement à l'utilisation éventuelle ou suggérée de tout matériau, produit, service ou conception n'a pour but d'accorder,ni ne doit être interprété comme accordant, une licence sur les droits de brevet ou d'autres droits de propriété intellectuelle de Saudi Basic Industries Corporation ou de l'une de ses filiales ou d'un membre de son groupe couvrant cette utilisation ou cette conception, et ne doit pas être interprété comme une recommandation relative à l'utilisation de ce matériau, produit, service ou concept en violation d'un droit de brevet ou d'un autre droit de propriété intellectuelle. SABIC est une marque de commerce de SABIC Holding Europe BV

*****Rapport de fin de*****

Certificat de Conformité

SABIC Polymershapes

1665 55th. Avenue

Dorval, Quebec H9P 2W3

Date: August 8/2016

Attn: Département de la Réception
À: DART AEROSPACE LTD.
Adresse: 1270 ABERDEEN STREET
HAWKESBURY, ON
K6A 1K7

Numéro de bon de commande: PO33144
Numéro de Connaissance: 93024118
Référence du Manufacturier: 0001765401
Notre Numéro de Référence: MTL-104462

Il est certifié par la présente que, à la connaissance de SABIC Polymershapes, les renseignements donnés ci-dessous sont conformes à l'information en possession de SABIC Polymershapes à l'égard de ces produits. Cette certification et la vente des produits sont, sauf stipulation contraire écrite, sous réserve de conditions standards de vente de SABIC Polymershapes. Ce document ne doit pas être reproduit, sauf dans son intégralité, sans autorisation préalable.

Quantité	Description	Numéro de lot
16 FT.	ACETRON GP BLACK ROD .500" DIA. X 96"	5828432 ASTM D6778 POM 0211
32 FT.	ACETRON GP BLACK ROD .750 DIA. X 96"	8794665 ASTM D6778 POM 0211
16 FT.	ACETRON GP BLACK ROD 1.000 DIA. X 96"	5832106 ASTM D6778 POM 0211
16 FT.	ACETRON GP BLACK ROD 2.000 DIA. X 96"	5828504 ASTM D6778 POM 0211

SABIC Polymershapes


Par:



Titre:

Quality Coordinator

À moins qu'il en soit convenu autrement dans un document signé par les deux parties, toute vente par SABIC Polymershapes (« Polymershapes ») est effectuée exclusivement aux termes et conditions de vente standard de Polymershapes, qui peuvent être obtenues sur demande et en ligne à l'adresse www.sabicpolymershapes.com. POLYMERSHAPES NE DONNE AUCUNE GARANTIE, EXPRESSE OU IMPLICITE QUANT AUX RÉSULTATS, À L'EFFICACITÉ OU À LA SÉCURITÉ DE L'UTILISATION DE SES PRODUITS POUR TOUTE APPLICATION PAR SES CLIENTS. Aucune disposition du présent document ou de tout autre document, ni aucune recommandation ou aucun conseil verbal, ne sera réputé modifier, faire varier, remplacer ou annuler toute disposition des Conditions Standards de Vente ou de la présente exclusion de responsabilité, à moins que cette modification soit précisément acceptée dans un écrit signé par Polymershapes. Aucun énoncé figurant aux présentes relativement à l'utilisation éventuelle ou suggérée de tout matériau, produit, service ou conception n'a pour but d'accorder, ni ne doit être interprété comme accordant, une licence sur les droits de brevet ou d'autres droits de propriété intellectuelle de SABIC ou de l'une de ses filiales ou d'un membre de son groupe couvrant cette utilisation ou cette conception, et ne doit pas être interprété comme une recommandation relative à l'utilisation de ce matériau, produit, service ou conception en violation d'un droit de brevet ou d'un autre droit de propriété intellectuelle.



QUADRANT
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.
2120 Fairmont Avenue, P.O. Box 14235
Reading, PA 19612-4235
Phone 610-320-6600

Ship to:

Sabic Polymershapes - Dorval
1665 - 55th Avenue

Dorval, QUE H9P 2W3
Canada

Consignee: 0002000430

Sold to:

SABIC Polymershapes - Dorval
1665, 55 Avenue

Dorval, QUE H9P 2W3
Canada

Delivery address: 1A
Delivery No: 7830440

Declaration of compliance with the order according EN 10204 - 2.1

ACETRON GP ROD Black
.5 x 96 IN

Item No: 02100120017
Lot: 5828432

Ship date: 07/29/16

Date of MFG: 06/06/16

Qty: 2.00 PC
Supplied against purchase order number: MTL-104462
Quadrant Order No: 0001765401

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C)

Made with resin that meets ASTM D6778 POM 0211 or 0210.
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Stephanie Marabella
FUNCTION: Product Specification & Certification Engineer
E-MAIL: stephanie.marabella@qplas.com
DATE: 07/29/16
DIGITAL SIGNATURE

Stephanie Marabella



QUADRANT
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.
2120 Fairmont Avenue, P.O. Box 14235
Reading, PA 19612-4235
Phone 610-320-6600

Ship to:

Sabic Polymershapes - Dorval
1665 - 55th Avenue

Dorval, QUE H9P 2W3
Canada

Consignee: 0002000430

Sold to:

SABIC Polymershapes - Dorval
1665, 55 Avenue

Dorval, QUE H9P 2W3
Canada

Delivery address: 1A
Delivery No: 7830440

Declaration of compliance with the order according EN 10204 - 2.1

ACETRON GP ROD Black
.75 x 96 IN

Item No: 02100120026
Lot: 8794665

Ship date: 07/29/16

Date of MFG: 07/15/16

Qty: 4.00 PC
Supplied against purchase order number: MTL-104462
Quadrant Order No: 0001765401

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C)

Made with resin that meets ASTM D6778 POM 0211 or 0210.
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Stephanie Marabella
FUNCTION: Product Specification & Certification Engineer
E-MAIL: stephanie.marabella@qplas.com
DATE: 07/29/16
DIGITAL SIGNATURE

Stephanie Marabella



QUADRANT
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.
2120 Fairmont Avenue, P.O. Box 14235
Reading, PA 19612-4235
Phone 610-320-6600

Ship to:

Sabic Polymershapes - Dorval
1665 - 55th Avenue

Dorval, QUE H9P 2W3
Canada

Consignee: 0002000430

Sold to:

SABIC Polymershapes - Dorval
1665, 55 Avenue

Dorval, QUE H9P 2W3
Canada

Delivery address: 1A
Delivery No: 7830440

Declaration of compliance with the order according EN 10204 - 2.1

ACETRON GP ROD Black
1 x 96 IN

Item No: 02100120031
Lot: 5832106

Ship date: 07/29/16

Date of MFG: 06/10/16

Qty: 2.00 PC

Supplied against purchase order number: MTL-104462
Quadrant Order No: 0001765401

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C)

Made with resin that meets ASTM D6778 POM 0211 or 0210.
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Stephanie Marabella
FUNCTION: Product Specification & Certification Engineer
E-MAIL: stephanie.marabella@qplas.com
DATE: 07/29/16
DIGITAL SIGNATURE

Stephanie Marabella



QUADRANT
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.
2120 Fairmont Avenue, P.O. Box 14235
Reading, PA 19612-4235
Phone 610-320-6600

Ship to:

Sabic Polymershapes - Dorval
1665 - 55th Avenue

Dorval, QUE H9P 2W3
Canada

Consignee: 0002000430

Sold to:

SABIC Polymershapes - Dorval
1665, 55 Avenue

Dorval, QUE H9P 2W3
Canada

Delivery address: 1A
Delivery No: 7830440

Declaration of compliance with the order according EN 10204 - 2.1

ACETRON GP ROD Black
2 x 96 IN

Item No: 02100120050
Lot: 5828504

Ship date: 07/29/16

Date of MFG: 06/16/16

Qty: 2.00 PC
Supplied against purchase order number: MTL-104462
Quadrant Order No: 0001765401

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C)

Made with resin that meets ASTM D6778 POM 0211 or 0210.
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Stephanie Marabella
FUNCTION: Product Specification & Certification Engineer
E-MAIL: stephanie.marabella@qplas.com
DATE: 07/29/16
DIGITAL SIGNATURE

Stephanie Marabella

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MDEL RIND. 2000
 DATE: 16-08-19

PO / BATCH NO.: 33144 / 14135422

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 2 - 16'
 QUANTITY INSPECTED: 16'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 2.000
 THICKNESS RECEIVED: 2.000
 SHEET SIZE ORDERED: 0
 SHEET SIZE RECEIVED: 0

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT THICKNESS	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>38</u> DATE: <u>AUG 19 2019</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MDeLRINR0.500
 DATE: 08-16-08-19

PO / BATCH NO.: 33144 / M135422

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 16.2
 QUANTITY INSPECTED: 16
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.500
 THICKNESS RECEIVED: 0.500
 SHEET SIZE ORDERED: 0
 SHEET SIZE RECEIVED: 0

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 1B INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>38</u> DATE: <u>AUG 19 2016</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: HDELREINRO.750
 DATE: 16-08-19

PO / BATCH NO: 33144 / M135422

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 32'
 QUANTITY INSPECTED: 32'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.750
 THICKNESS RECEIVED: 0.750
 SHEET SIZE ORDERED: 0
 SHEET SIZE RECEIVED: 0

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	N	
CORROSION	Y	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	N	
CORRECT THICKNESS	<input checked="" type="checkbox"/>	N	
PHOTO REQUIRED	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>38 9-85</u> <u>AUG 19 2016</u> DATE: _____	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: HDPELRINR.1000
 DATE: 16-08-19

PO / BATCH NO.: 33144 / M135422

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 16
 QUANTITY INSPECTED: 16
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000
 THICKNESS RECEIVED: 1.000
 SHEET SIZE ORDERED: 0
 SHEET SIZE RECEIVED: 0

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	N	
CORROSION	Y	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	N	
CORRECT THICKNESS	<input checked="" type="checkbox"/>	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 38</u> DATE: <u>16-08-19</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33144**

Purchase Order Date 7/22/2016

PO Print Date 7/22/2016

Page Number 1 of 3

Order From :

VC-GEP001

SABIC POLYMERSHAPES
1290 OLD INNES ROAD
UNIT 713
OTTAWA, ON K1B 5M6
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 267 1575

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	MDELNR0.500	Delrin Round Bar .50" color: black	8/5/2016 Yes 8/5/2016		16.00 f	\$1.30	\$20.80
MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL COLOR: BLACK							
Line Total:							\$20.80
2	MDELNR0.750	Delrin Round Bar 0.75" color: black	8/5/2016 Yes 8/5/2016		0.00 f	\$0.00	\$0.00
MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL COLOR: BLACK							
	MDELNR0.750		8/5/2016 8/5/2016		32.00 f	\$2.15	\$68.80
Line Total:							\$68.80

8216-8-11

Note:

7/22/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33144**

Purchase Order Date 7/22/2016

PO Print Date 7/22/2016

Page Number 2 of 3

Order From :

VC-GEP001

SABIC POLYMERSHAPES
1290 OLD INNES ROAD
UNIT 713
OTTAWA, ON K1B 5M6
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 267 1575

Ship To Contact

Ship To Phone

Ship Via:

Journey Freight collect

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA - (Free Carrier)

3	MDELNR1.000	✓	Delrin Round Bar 1" color: black	8/5/2016	16.00	✓	\$4.50	\$72.00
				Yes 8/5/2016	f			

MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL
COLOR: BLACK

Line Total: \$72.00

4	MDELNR2.000	✓	DELRIN ROUND BAR 2.00"	8/5/2016	16.00	✓	\$15.00	\$240.00
				Yes 8/5/2016	f			

MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL
COLOR: BLACK

Line Total: \$240.00

SP16-8-11

Note:

7/22/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33144**

Purchase Order Date 7/22/2016

PO Print Date 7/22/2016

Page Number 3 of 3

Order From :

VC-GEP001

SABIC POLYMERSHAPES
1290 OLD INNES ROAD
UNIT 713
OTTAWA, ON K1B 5M6
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 267 1575

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA - (Free Carrier)

5	71401-45	Procurement Quality Clause	8/5/2016	1.00	\$0.00	\$0.00
---	----------	----------------------------	----------	------	--------	--------

No

8/5/2016

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

Line Total: \$0.00

PO Total: \$401.60

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 7/22/2016